Introduction to Data Mining

José Hernández-Orallo

Dpto. de Sistemas Informáticos y Computación

Universidad Politécnica de Valencia, Spain

jorallo@dsic.upv.es

Roma, 14-15th May 2009

1

Outline

- **Motivation. BI: Old Needs, New Tools.**

- Some DM Examples.

- Data Mining: Definition and Applications

- The KDD Process

- Data Mining Techniques

- Development and Implementation

DILBERT reprinted by permission of United Feature Syndicate, Inc. [2000].

Motivation

- ## Old needs:
    - *Initially, the goal of information systems were to gather information about a specific domain to support decision making.*
    - *nowadays, computerised organisations with transactional software applications have specialised information systems towards a different goal: to support the basic processes in an organisation (sales, production, personnel, …).*

# Motivation

- ## Old needs:

  - *Information Systems nowadays are specialised for transactional work.*

    - *So are database models, database design methodologies, database management systems, etc.*

  - *These systems are not adequate for analysing the information or to convey strategic knowledge.*

    - Inappropriate organisation/architecture
    - Lack of information-to-knowledge tools.

Motivation

- ## Old needs:
  - Two very different kinds of data processing:
    - OLTP (*On-Line Transactional Processing*): transaction-oriented, the typical scenario in an operational database.
    - OLAP (*On-Line Analytical Processing*): oriented to analyse specific issues which are relevant for decision making.

- ## Old needs:

KNOWLEDGE

Business Intelligence

Planning Level

Strategical Decisions

Predictive Models

Tactical Level

Descriptive Models

Complex, Aggregated Queries

Operational Level

Factual Decisions

SQL Queries

INFORMATION

- # Old needs:

  - ## *Business Intelligence?*

    - Collection of information technologies which can provide an organisation with the knowledge requirements to make strategic decisions. These comprise complex data extraction from the existing information systems and information exploitation through data analysis tools.

    - This also comprises the classical business function: "analyse the available information in the operational systems to support the executive decision making".

Motivation

- ## Old needs:
  - ### *Business Intelligence?*
    - #### Alternative names:
      - Business Performance Management (Meta Group).
      - CPM: Corporate Performance Management (Gartner).
      - Enterprise Performance Management
      - Strategic Information Systemas

Motivation

- ## Old needs:

  – *Problem:*

  > IS's and DB's make it possible to convert information into information, but make it difficult to convert **information into knowledge.**

  – *Information Overload:*

  > This cannot be done manually any more.

Motivation

- **Old tools:**
  - Data Source:
    - Transactional Database:
      - Relational or Object-Relational Data Organisation
  - Information Delivery (Exploitation) Tools:
    - Batch Reporting Tools
    - EIS (Executive Information Systems)
    - Traditional DSS (Decision Support Systems)
    - Desktop Reporting Tools (Spreadsheet Add-ins, …)

Motivation

- **New tools:**
  - **Data Source:**
    - Data warehouses or operational data stores.
      - Other models: multidimensional
      - Other organisations: datamarts
  - **Exploitation tools:**
    - OLAP (On-Line Analytical Processing) Tools.
    - Data Mining
    - Simulation

Motivation

- ## Needs and Tools:
    - ### Operational decisions → operational queries:
        - #### Requirement Examples:
            - "Are there available seats for flight IB-2323?".
                - » <u>TOOL</u>: SQL.
            - "List the products which currently have a special offer".
                - » <u>TOOL</u>: SQL/Reporting tools.

13

Motivation

- ## Needs and Tools:
 - ### Tactical decisions → aggregated queries:
    - #### Requirement Example:
      - "Top ten sellers in the sales department during the last year".
        - » <u>TOOL</u>: SQL, OLAP tools, data warehouses
      - "Total sales of seaside supermarkets in the second quarter of 2005 vs. total sales of interior supermarkets".
        - » <u>TOOL</u>: EIS/DSS, OLAP tools, data warehouses

Motivation

- ## Needs and Tools:
  - Planning → descriptive or predictive models:
    - Requirement Examples:
      - "Products which are sold together frequently in seaside supermarkets".
        - » <u>TOOL</u>: Descriptive Data Mining
      - "Sales expected for next quarter for all products in category "multimedia"".
        - » <u>TOOL</u>: Predictive Data Mining
      - "Expected penetration rates of offer 1 after offer 2 in interior supermarkets".
        - » <u>TOOL</u>: Predictive Data Mining + Simulation

- ## Architecture:

Motivation

- OLAP vs. Data Mining:

OLAP	DM
Which is the accident rate among smokers and non-smokers?	Which are the best predictors for accidents?
Which is the average telephone bill of my current customers vs. the ex-customers who quit the company?	Will X leave the company? Which factors affect churn?
Which is the average daily purchase amount between stolen credit cards operations and legitimate ones?	Which purchase patterns are associated to credit card frauds?

17

Motivation

- A (simplistic) view of Data Mining:

| Data (Information) | → | **Data Mining** | → | Models (Knowledge) |

Models are the "product" of data mining

– Strategic decisions are supported on the inferred models.

Outline

- Motivation. BI: Old Needs, New Tools.

- Some DM Examples.

- Data Mining: Definition and Applications

- The KDD Process

- Data Mining Techniques

- Development and Implementation

Examples

- BANK AGENT:

  Must I grant a mortgage to this customer?

- SUPERMARKET MANAGER:

  When customers buy eggs, do they also buy oil?

- PERSONNEL MANAGER:

  What kind of employees do I have?

- TRADER in a RETAIL COMPANY:

  How many flat TVs do we expect to sell next month?

Examples

- BANK AGENT:

Must I grant a mortgage to this customer?

Historical Data:

cld	Credit-p (years)	Credit-a (euros)	Salary (euros)	Own House	Defaulter accounts	...	Returns-credit
101	15	60.000	2.200	yes	2	...	no
102	2	30.000	3.500	yes	0	...	yes
103	9	9.000	1.700	yes	1	...	no
104	15	18.000	1.900	no	0	...	yes
105	10	24.000	2.100	no	0	...	no
...	...	...	...	...	...	...	...

Data Mining

Pattern / Model:

If Defaulter-accounts > 0 **then** Returns-credit = no
If Defaulter-accounts = 0 **and** [(Salary > 2.500) **or** (credit-p > 10)] **then** Returns-credit = yes

Examples

- **SUPERMARKET MANAGER:**

  When customers buy eggs, do they also buy oil?

Historical Data:

BasketId	Eggs	Oil	Nappies	Wine	Milk	Butter	Salmon	Endive	...
1	yes	yes	no	yes	no	yes	yes	yes	...
2	no	yes	no	no	yes	no	no	yes	...
3	no	no	yes	no	yes	no	no	no	...
4	no	yes	yes	no	yes	no	no	no	...
5	yes	yes	no	no	no	yes	no	yes	...
6	yes	no	no	yes	yes	yes	yes	no	...
7	no	no	no	no	no	no	no	no	...
8	yes	yes	yes	yes	yes	yes	yes	no	...
...	...	...	...	...	...	...	...	...	...

Data Mining

Pattern / Model:

Eggs → Oil : Confidence = 75%, Support = 37%

Examples

● PERSONNEL MANAGER:

What kind of employees do I have?

Historical Data:

Id	Salary	Married	Car	Children	Rent/Owner	Union	Off sick/year	Work years	Gender
1	10000	yes	no	0	Rent	no	7	15	M
2	20000	no	yes	1	Rent	yes	3	3	F
3	15000	yes	yes	2	Owner	yes	5	10	M
4	30000	yes	yes	1	Rent	no	15	7	F
5	10000	yes	yes	0	Owner	yes	1	6	M
6	40000	no	yes	0	Rent	yes	3	16	F
7	25000	no	no	0	Rent	yes	0	8	M
8	20000	no	yes	0	Owner	yes	2	6	F
15	8000	no	yes	0	Rent	no	3	2	M
. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .

Data Mining

Pattern / Model:

• **Group 1:** Without children and in a rented house. Low participation in unions. Many days off sick.
• **Group 2:** Without children and with car. High participation in unions. Few days off sick. More women and in rented houses.
• **Group 3:** With children, married and with car. More men and usually house owners. Low participation in unions.

Examples

- TRADER in a RETAIL COMPANY:

  How many flat TVs do we expect to sell next month?

Historical Data:

PRODUCT	Month–12	...	Month–4	Month–3	Month–2	Month–1	Month
Flat TV 30'	20	...	52	14	139	74	?
Video-dvd-recorder	11	...	43	32	26	59	?
Discman	50	…	61	14	5	28	?
Five star fridge	3	…	21	27	1	49	?
Three star fridge	14	...	27	2	25	12	?
…	…	…	…	…	…	…	...

Data Mining

Pattern / Model:

Linear Model: Flat TV Sales for Next Month:

$$V(Month)_{flatTV} = 0.62 \cdot V(Month\text{-}1)_{flatTV} + 0.33 \cdot V(Month\text{-}2)_{flatTV} + 0.12 \cdot V(Month\text{-}1)_{DVD\text{-}Recorder} - 0.05$$